

**Water vacuum
with AC drive
type WSP 2000:
Concentrated power
for every application**



Water vacuum with AC drive type WSP 2000

AC motor

GRP housing

Pump-out connection

Suction connection

Pump


Stop-check valve

Float switch for
excessive vacuum

Pump float switch

Foot bar emptying
mechanism with flap
for residual dirt removal

Shutter for
residual dirt




Easy to empty – simply open
the tap to drain off the liquid.
(Back)



Concentrated power for every application

- Pneumatic wheels make the unit easy to handle and provide good ground clearance with optimum manoeuvrability
- Automatic vacuum motor switch-off when the unit reaches full capacity to prevent excessive vacuum
- Powerful 1.2 kW suction
- Higher powered motors available on request
- Removable pump allows easy cleaning

WSP 2000
in the metal industry



WSP 2000
when garage cleaning



Easy handling
thanks footbar



Lever for easy residual
dirt removal



Technical data

WSP 2000

Housing	GFK
Motor power (kW)	1,2
Voltage (V)	230
Vacuum (mbar)	-230
Air flow rate (m³/h) (measured with 3 m hose)	174
Height (mm)	1.020
Width (mm)	690
Length (mm)	820
Protection class (IP)	x4
Variable capacity (litre)	45 bis 100
Suction connection (mm)	50
Pump-out connection	GeKa-coupling
Pump-out connection "fire brigade design"	Storz-coupling
Pump motor power (kW)	0,83
Pump flow rate	6,5 m³/h at 1 m
Maximum pumping head (m)	9,5

